

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Flexfit Delta® Cap. C938

Product photo



- 92/8 poly/spandex
- 100% polyester (Carbon Charcoal)
- 100% polyester undervisor
- Structured
- Mid-profile
- Seam-sealed
- Quick-drying
- Moisture-wicking
- Water-repellent
- 3-layer sweatband with sweat and stain-blocking technology
- 4 die-cut vent eyelets
- ActiveGuard™ Tech to diffuse sweat through the undervisor more effectively
- Permacurv® bill to maintain proper shape and curve
- Stretch fit closure

Sketches



front



back

Due to the nature of the highly technical fabric in this performance cap, special care must be taken throughout the decorating process.

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Flexfit Delta® Cap. C938

PRODUCT MEASUREMENTS

	S/M	L/XL
Crown Height	6 7/8	6 7/8
Width of Front Panel(s)	7 1/2	7 1/2
Bill/Visor Length	2 3/4	2 3/4

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

SIZE CHARTS

	S/M	L/XL
Hat Size	6 3/4-7 1/4	7 1/8-7 5/8
Head Size	21 1/4- 22 3/4	22 3/8- 23 7/8

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Flexfit Delta® Cap. C938

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head.
Divide number by 3.14 for hat size.

COLORS

Please note: PMS code information is shown only when an exact match is available.



Black
PMS BLACK
C



Carbon
Charcoal
PMS 7540C



Dark Grey
PMS 447C



Navy
PMS 532C



Silver
PMS 422C



True Royal
PMS 7687C



White